

— Installation assistance available at: —
RFTECH
— www.rockfordfosgate.com/rftech —

**CAN-AM® MAVERICK X3
REAR SPEAKER
WIRE KIT**

RFX3-RSW16

600 South Rockford Drive • Tempe, Arizona 85281 United States
Direct: (480) 967-3565 • Toll Free: (800) 669-9899

ROCKFORDFOSGATE.COM



Installation & Operation

Introduction

Dear Customer,

Congratulations on your purchase of the world's finest brand of audio products. At Rockford Fosgate we are fanatics about musical reproduction at its best, and we are pleased you chose our product. Through years of engineering expertise, hand craftsmanship and critical testing procedures, we have created a wide range of products that reproduce music with all the clarity and richness you deserve.

For maximum performance we recommend you have your new Rockford Fosgate product installed by an Authorized Rockford Fosgate Dealer, as we provide specialized training through Rockford Technical Training Institute (RTTI). Please read your warranty and retain your receipt and original carton for possible future use.

Great product and competent installations are only a piece of the puzzle when it comes to your system. Make sure that your installer is using 100% authentic installation accessories from Rockford Fosgate in your installation. Rockford Fosgate has everything from RCA cables and speaker wire to power wire and battery connectors. Insist on it! After all, your new system deserves nothing but the best.

To add the finishing touch to your new Rockford Fosgate image order your Rockford accessories, which include everything from T-shirts to hats.

Visit our web site for the latest information on all Rockford products;

www.rockfordfosgate.com

or, in the U.S. call 1-800-669-9899 or FAX 1-800-398-3985. For all other countries, call +001-480-967-3565 or FAX +001-480-966-3983.

Table of Contents

2	Introduction
3	Installation
4	Warranty

If, after reading your manual, you still have questions regarding this product, we recommend that you see your Rockford Fosgate dealer. If you need further assistance, you can call us direct at **1-800-669-9899**. Be sure to have your serial number, model number and date of purchase available when you call.

PRACTICE SAFE SOUND

Continuous exposure to sound pressure levels over 100dB may cause permanent hearing loss. High powered auto sound systems may produce sound pressure levels well over 130dB. Use common sense and practice safe sound.

Safety

This symbol with "WARNING" is intended to alert the user to the presence of important instructions. Failure to heed the instructions will result in severe injury or death.



This symbol with "CAUTION" is intended to alert the user to the presence of important instructions. Failure to heed the instructions can result in injury or unit damage.



- To prevent injury and damage to the unit, please read and follow the instructions in this manual. We want you to enjoy this system, not get a headache.
- If you feel unsure about installing this system yourself, have it installed by a qualified Rockford Fosgate technician.
- Before installation, disconnect the battery negative (-) terminal to prevent damage to the unit, fire and/or possible injury.

Contents

- (1) Driver's Side Wire Harness
- Plastic Wire Tie Wraps
- (1) Passenger Side Wire Harness

Installation Tools

The following is a list of suggested tools needed for installation:

- Small Flat Blade Screwdriver
- Wire Cutters
- T-40 Torx
- Panel Tool
- 4mm Allen Driver

Installation Considerations

This section focuses on some considerations for installing your Can-Am Maverick X3 rear speaker wire kit. This wire kit is designed to work in conjunction with Rockford's other X3 specific audio kits and parts. If you feel unsure about installing this system yourself, have it installed by a qualified technician.

When drilling holes, make sure you know what is on the other side. Be sure that any electrical, fuel lines or any other important components are free and clear from the area.

WARNING

Before installation, disconnect the battery negative (-) terminal to prevent damage to the unit, fire and/or possible injury.

CAUTION

Before beginning any installation, follow these simple rules:

CAUTION

Be sure to carefully read and understand the instructions before attempting to install this wiring kit.

- Consult your UTV's service manual for model specific information. Models may differ from year to year depending on factory options and aftermarket accessories added.
- This rear speaker wire kit is specifically designed to work with Rockford Fosgate's X3 audio kits.
- With the addition of an amplifier or source unit, be sure that your current charging system is in proper working order.
- Visit rockfordfosgate.com for more comprehensive product information.
- Visit our **YouTube** channel for comprehensive installation videos demonstrating complete installation guides and install tips.

NEED HELP WITH YOUR INSTALLATION?




YOUTUBE VISIT OUR CHANNEL FOR A COMPLETE INSTALLATION VIDEO AND OTHER TIPS
WWW.YOUTUBE.COM/USER/ROCKFORDFOSGATE

Applicable Models:

Can-Am Maverick X3 (2 & 4 seat models)

This rear speaker wire kit is designed to work with Rockford Fosgate's RFX3-K8 / RFX3-K4 amplifier kits and RFX3-PMXDK dash kit. The wire kit can be installed in both 2-seat and 4-seat models secured to the roll cage and run under the floor.



- Step 1. Feed the white 2-pin connector through the mounting flange leaving enough slack so you can connect the speaker to the connector. Then assemble the mounting flange to the lower half of the mounting clamp assembly making sure the wire aligns with the notch in the flange to prevent pinching before tightening.
- Step 2. You will want to install the wake can bracket approximately 4-6 inches away from the top of the rear shock reservoir.
- Step 3. Once the wire harness is connected to the wake can, slide the enclosure over the mounting post and secure it with using the security Torx wrench that came with the enclosures.

NOTE: A safety lanyard is supplied with the wake cans for additional safety. Refer to wake can instructions for a more detailed installation guide.

- Step 4. This harness is designed to be run down the rear factory cage with the supplied plastic wire ties.
- Step 5. Continue to route the harness down the rear tube through the cage opening. The wire harness should follow the inside of the fender and then toward the center of the vehicle.

NOTE: Be sure the wire harness is wire tied to the chassis tube, away from moving components and heat.

- Step 6. Remove the passenger side seat to provide access to the panels on the center console. There are (3) panels that need to be removed.
- Step 7. Once removed, route the wires down the center of the car along the vehicles main wire harness.

NOTE: Be sure to keep away from exhaust and moving components when routing toward the front of the vehicle.

- Step 8. Feed both wires up the backside of the center console and run up to the opening where the fuse panel is located.
- Step 9. Connect the wires to the source unit harness.
- Step 10. Reinstall the center dash kit.

Warranty

Rockford Corporation offers a limited warranty on Rockford Fosgate products on the following terms:

Length of Warranty

POWER Amplifiers – 2 Years

BMW® Direct Fit Speakers – 2 Years

PUNCH® & PRIME® Amplifiers – 1 Year

Speakers, Signal Processors, Accessories and Capacitors – 1 Year

All marine, motorcycle, motorsport products - 2 Years

Any Factory Refurbished Product – 90 Days (receipt required)

What is Covered

This warranty applies only to Rockford Fosgate products sold to consumers by authorized Rockford Fosgate dealers in the United States of America. Products purchased by consumers from an Authorized Rockford Fosgate Dealer in another country are covered only by that country's Distributor and not by Rockford Corporation.

Who is Covered

This warranty covers only the original purchaser of Rockford product purchased from an authorized Rockford Fosgate dealer in the United States. In order to receive service, the purchaser must provide Rockford with a copy of the receipt stating the customer name, dealer name, product purchased and date of purchase.

Products found to be defective during the warranty period will be repaired or replaced (with a product deemed to be equivalent) at Rockford's discretion.

What is Not Covered

1. Damage caused by accident, abuse, improper installation, operations, theft, water (on non-Element Ready products).
2. Any cost or expense related to the removal or reinstallation of product.
3. Service performed by anyone other than Rockford or an authorized Rockford Fosgate service center.
4. Any product which has had the serial number defaced, altered, or removed.
5. Subsequent damage to other components.
6. Any product purchased outside the U.S.
7. Any product not purchased from an authorized Rockford Fosgate dealer. Refer to rockfordfosgate.com dealer locator for more detail.

Limit on Implied Warranties

Any implied warranties including warranties of fitness for use and merchantability are limited in duration to the period of the express warranty set forth above. Some states do not allow limitations on the length of an implied warranty, so this limitation may not apply. No person is authorized to assume for Rockford Fosgate any other liability in connection with the sale of the product.

How to Obtain Service

Please call 1-800-669-9899 for Rockford Customer Service. You must obtain an RA# (Return Authorization number) to return any product to Rockford Fosgate. You are responsible for shipment of product to Rockford.

EU Warranty

This product meets the current EU warranty requirements, see your Authorized dealer for details.